



Material Safety Data Sheet

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29CFR 1910. 1200. Standard must be consulted for specific requirements.

NEVR-DULL MAGIC WADDING POLISH

QUICK IDENTIFIER

Common Name: (used on label and list)

TRADE SECRET (Proprietary)

SECTION 1 -

Manufacturer's

Name THE GEORGE BASCH CO., INC.

Address 19 HANSE AVE - P.O. BOX 188 Emergency

Telephone No. 516-378-8100

City, State, and ZIP FREEPORT, N.Y. 11520 Other

Information

Calls same

Signature of Person

Responsible for Preparation (Optional) Date

Prepared 01-01-2013

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY

Hazardous Component(s) (chemical & common name(s)) OSHA

PELACGIII

TLV Other Exposure

Limits %

(optional) CAS

NO.

Mineral Spirits – Petroleum Hydrocarbon

This product is C.A.R.B. , V.O.C. Compliant

SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling

Point 343 F Specific

Gravity (H₂O = 1) 0.805 @60 F Vapor

Pressure (mm Hg)@20c 0.6

Vapor

Density (Air = 1) 5.8

Solubility

in Water Stable under normal conditions Reactivity in

Water None

Appearance

and Odor cotton wadding Impregnated with liquid chemical Melting

Point NA

SECTION 4 - FIRE & EXPLOSION DATA

Flash

Point 145 F.

63 C. Method

Used Open cup Flammable Limits

in Air % by Volume LEL

Lower 0.9 UEL

Upper NA

Auto-Ignition

Temperature 490 F Extinguisher

Media Fire Extinguisher- type-Monoammonium Phosphate
(class ABC - Dry Chemical)

Special Fire

Fighting Procedures Keep away from open flame-

Unusual Fire and

Explosion Hazards None

SECTION 5 - PHYSICAL HAZARDS (REACTIVITY DATA)

Stability Unstable []

Stable [x] Conditions

to Avoid Isolate from strong oxidizers, heat and open flame

Incompatibility

(Materials to Avoid) Isolate from strong oxidizers such as permanganates, chromates & peroxides

Hazardous

Decomposition Products Carbon monoxide, Carbon Dioxide from burning

Hazardous

Polymerization Will Not Occur

SECTION 6 - HEALTH HAZARDS

Eye Contact Slightly irritating but does not injure eye tissue

Skin Contact Low order of toxicity. Skin contact may irritate or cause an existing dermatitis condition

Inhalation Low vapor concentrations may cause dizziness, headaches, drowsiness

Ingestion May cause local irritation, vomiting, respiratory irritation, headache, dizziness, nausea

SECTION 7 – First Aid Measures

Eye Contact Flush eyes with large amounts of water until irritation subsides

Skin Contact Recommend rubber gloves to use. Wash hands with soap and water

Inhalation Remove to fresh air. Give artificial respiration if necessary

Ingestion If swallowed DO NOT induce vomiting. Seek medical attention

SECTION 8 – PRECAUTIONS FOR SAFE HANDLING AND USE

Precautions to be Taken in Handling and Storage Store at room temperature. Keep away from open flames

SECTION 9 – STABILITY AND REACTIVITY

Stability Stable Conditions to Avoid Instability N/A Hazardous Polymerization Will Not Occur

Conditions to Avoid Hazardous Polymerization N/A Materials & Conditions to avoid Incompatibility Oxidizers Hazardous De-
composition Products None

SECTION 10 – HAZARD RATING SYSTEM

NPCA-HMIS NFPA 704 KEY

4 = Severe

3 = Serious

2 = Moderate

1 = Slight

0 = Minimal

Nat'l Paint & Coating Assoc./ Hazardous indent. Systems

National Fire Protection Association